

DAYLUME®








SURFACE LIGHTING ELEMENTS

A.I.A. File 31-F-2

Daylume was designed to combine smartly styled high quality surface lighting with maximum flexibility of installation. From enclosure frame to ceiling measures only 3¼ inches, yet this architectural element produces Day-Brite's usual high standard of comfortable lighting. Clean linear styling is always pleasing... blends harmoniously in newly constructed or modernized locations... adds a contemporary note to older ones.

Extremely slim profile and easy surface installation make Daylume the ideal choice where recessed lighting may be preferred but is not possible due to structural or budget limitations.

Daylume is the most complete line of surface mounted elements available today... 50 models provide the architect-designer custom choice from production units. In this wide array of fixtures there's a Daylume to meet most any lighting requirement.






CRESTEX PLASTIC ENCLOSURES

Cat. No.	For Lamps	Dimensions
4X4493	Four-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
4X4693	Six-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
4X4893	Eight-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
2X8293	Two-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X8493	Four-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X4293	Two-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X4493	Four-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X2293	Two-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "
2X2493	Four-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "
1X4243	Two-Lamp, 4-foot Rapid-Start	11 ¹³ / ₁₆ "x48 ⁵ / ₈ "
1X8243	Two-Row, Tandem, 4-foot Rapid-Start	11 ¹³ / ₁₆ "x97 ³ / ₁₆ "

ALL UNITS 3¹/₄" DEEP

Clean sculptured appearance, Crestex provides pleasing illumination for stores, lobbies, banks, auditoriums, and shopping centers.

The evenly illuminated plastic panel will not discolor... is easily hinged from either side or completely removed. Six sizes and eleven lamp combinations provide the correct choice for all room dimensions and ceiling heights... A magnificent lighting team.



4X4499
4X4699
4X4899

2X4299
2X4499

2X8299
2X8499

2X2299
2X2499



DAYTEX® PLASTIC ENCLOSURES

Daytex enclosures introduce an easy on the eye accent to contemporary ceilings . . . Light is diffused evenly and smoothly through light-stabilized plastic. Concentric square design is always in good taste.

Enclosures are completely framed . . . Day-Brite's exclusive separable hinges allow installation from either side . . . reduces maintenance time.

A superb choice for shopping centers, lobbies, restaurants.

Cat. No.	For Lamps	Dimensions
4X4499	Four-Lamp, 4-foot Rapid-Start	45 1/16" x 48 5/8"
4X4699	Six-Lamp, 4-foot Rapid-Start	45 1/16" x 48 5/8"
4X4899	Eight-Lamp, 4-foot Rapid-Start	45 1/16" x 48 5/8"
2X8299	Two-Row, Tandem, 4-foot Rapid-Start	23 1/4" x 97 3/16"
2X8499	Four-Row, Tandem, 4-foot Rapid-Start	23 1/4" x 97 3/16"
2X4299	Two-Lamp, 4-foot Rapid-Start	23 1/4" x 48 5/8"
2X4499	Four-Lamp, 4-foot Rapid-Start	23 1/4" x 48 5/8"
2X2299	Two-Lamp, 2-foot Trigger-Start	23 1/4" x 24 5/8"
2X2499	Four-Lamp, 2-foot Trigger-Start	23 1/4" x 24 5/8"

ALL UNITS 3/4" DEEP

2X4280
2X4480

4X4480
4X4680
4X4880

2X8280
2X8480

2X2280
2X2480



NO. 6024-DB PLASTIC CONTROLENS* ENCLOSURES

Cat. No.	For Lamps	Dimensions
4X4480	Four-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
4X4680	Six-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
4X4880	Eight-Lamp, 4-foot Rapid-Start	45 ¹ / ₁₆ "x48 ⁵ / ₈ "
2X8280	Two-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X8480	Four-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X4280	Two-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X4480	Four-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X2280	Two-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "
2X2480	Four-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "


ALL UNITS 3¹/₄" DEEP

Engineered comfort... Holophane 6024DB Controlens®. High lighting levels with maximum comfort for offices, showrooms, auditoriums, libraries... Light is controlled through conical prismatic elements.

As an added safety factor, Daylume fixtures are equipped with separately fused CBM ballasts.


Ceiling mounting straps speed installation... provide easy, accurate alignment in rows or patterns.

CUSTOM INSTALLATION POSSIBILITIES WITH



STANDARD UNITS

50 MODELS OFFER THE DESIGNER UNLIMITED INSTALLATION PATTERNS. DAYLUME IS AVAILABLE IN SIX SIZES . . . TWO, FOUR AND EIGHT LAMP COMBINATIONS AND NUMEROUS ENCLOSURES





2X4295
2X4495

2X8295
2X8495

1X4240

2X2295
2X2495

1X8240

CLEARTEX[®] PLASTIC ENCLOSURES

HIGH VISUAL COMFORT ECONOMICALLY ... Cleartex plastic enclosures, a Day-Brite exclusive, provide high footcandle levels without direct or reflected glare ... Light is properly controlled through precisely designed refracting angles ... Assures comfortable low brightness lighting ... A superb choice for schools, offices, libraries, commercial buildings.

Lumatex enclosures (same pattern as Cleartex in milk white plastic) provide ideal lighting for stores, foyers, showrooms.

Cat. No.	For Lamps	Dimensions
2X8295	Two-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X8495	Four-Row, Tandem, 4-foot Rapid-Start	23 ¹ / ₄ "x97 ³ / ₁₆ "
2X4295	Two-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X4495	Four-Lamp, 4-foot Rapid-Start	23 ¹ / ₄ "x48 ⁵ / ₈ "
2X2295	Two-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "
2X2495	Four-Lamp, 2-foot Trigger-Start	23 ¹ / ₄ "x24 ⁵ / ₈ "
1X4240	Two-Lamp, 4-foot Rapid-Start	11 ¹ / ₁₆ "x48 ⁵ / ₈ "
1X8240	Two-Row, Tandem, 4-foot Rapid-Start	11 ¹ / ₁₆ "x97 ³ / ₁₆ "

ALL UNITS 3¹/₄" DEEP

2X4271
2X4471

2X8271
2X8471

2X2271
2X2471

1X4221

1X8221





CORNING PATTERN 70 GLASS ENCLOSURES

Cat. No.	For Lamps	Dimensions
2X8271	Two-Row, Tandem, 4-foot Rapid-Start	23 $\frac{1}{4}$ "x97 $\frac{3}{16}$ "
2X8471	Four-Row, Tandem, 4-foot Rapid-Start	23 $\frac{1}{4}$ "x97 $\frac{3}{16}$ "
2X4271	Two-Lamp, 4-foot Rapid-Start	23 $\frac{1}{4}$ "x48 $\frac{5}{8}$ "
2X4471	Four-Lamp, 4-foot Rapid-Start	23 $\frac{1}{4}$ "x48 $\frac{5}{8}$ "
2X2271	Two-Lamp, 2-foot Trigger-Start	23 $\frac{1}{4}$ "x24 $\frac{5}{8}$ "
2X2471	Four-Lamp, 2-foot Trigger-Start	23 $\frac{1}{4}$ "x24 $\frac{5}{8}$ "
1X4221	Two-Lamp, 4-foot Rapid-Start	11 $\frac{13}{16}$ "x48 $\frac{5}{8}$ "
1X8221	Two-Row, Tandem, 4-foot Rapid-Start	11 $\frac{13}{16}$ "x97 $\frac{3}{16}$ "

ALL UNITS 3 $\frac{1}{4}$ " DEEP

A wise selection for private and general offices . . . Daylume with Corning Pattern 70 glass provides excellent light transmission with controlled brightness . . . Lens panel is softly cushioned in vinyl gasket. Frames have inner flanges for added strength.

Bushed openings in ends and sides of fixture body allow unlimited installation patterns.




4 - SQUARE RECESSED ELEMENTS

WHERE RECESSING IS POSSIBLE... incorporates the same outstanding features as the 4 x 4 Daylume. 4-SQUARE answers the need for a large recessed lighting element of shallow (4-inch) dimensions... Recesses neatly in plaster or acoustical ceilings... Appearance is enhanced by a special splay providing a "blending section" between the luminous enclosure and the surrounding ceiling area.

Combines readily with Daylume, Mobilex and Troffers... wide choice of enclosures and lamp combinations available.

Cat. No.	For Lamps	Enclosure
48F499	Four-Lamp, 4-foot Rapid-Start	Day-Tex Plastic
48F699	Six-Lamp, 4-foot Rapid-Start	Day-Tex Plastic
48F899	Eight-Lamp, 4-foot Rapid-Start	Day-Tex Plastic
48F495	Four-Lamp, 4-foot Rapid-Start	Cleartex Plastic
48F695	Six-Lamp, 4-foot Rapid-Start	Cleartex Plastic
48F895	Eight-Lamp, 4-foot Rapid-Start	Cleartex Plastic
48F480	Four-Lamp, 4-foot Rapid-Start	6024-DB Controlens
48F680	Six-Lamp, 4-foot Rapid-Start	6024-DB Controlens
48F880	Eight-Lamp, 4-foot Rapid-Start	6024-DB Controlens
48F471	Four-Lamp, 4-foot Rapid-Start	Corning 70 Glass
48F671	Six-Lamp, 4-foot Rapid-Start	Corning 70 Glass
48F871	Eight-Lamp, 4-foot Rapid-Start	Corning 70 Glass
48F493	Four-Lamp, 4-foot Rapid-Start	Crestex Plastic
48F693	Six-Lamp, 4-foot Rapid-Start	Crestex Plastic
48F893	Eight-Lamp, 4-foot Rapid-Start	Crestex Plastic

DAYLUME FEATURES



Daylume styling is slim, always pleasing...Complements all interiors, new and old.



Knurled latch screws, floating caged nuts and Day-Brite's exclusive separable hinges make installation or removal of enclosures fast and easy.

The slim profile of Daylume elements blends beautifully with Day-Brite's Mobilex, Troffer, and 4-Square series...Matching enclosures for both recessed and Daylume units lend continuity of design to ceiling areas...Allow recessed equipment and Daylume to be mixed and matched.

DAY-BRITE FIELD OFFICES

ALABAMA

James R. Fuller
Birmingham 9

ARIZONA

Wm. Benndorf Co.
Phoenix

CALIFORNIA

Day-Brite Lighting, Inc.
Beverly Hills
Alan Humphrey
Fresno
L. J. Van Nostrand
Sacramento 14
The Edward L. Peterson
Co.
San Diego 1
James H. Brundage, Jr.
San Francisco 3
Day-Brite Lighting, Inc.
of Calif.
Santa Clara

COLORADO

J. A. Reeves
Denver

CONNECTICUT

Frank E. Brown
Farmington

FLORIDA

Joseph N. Crevasse
Jacksonville
Gordon L. Priday
Jacksonville 11

FLORIDA (continued)

James A. Foerster
Miami 43

George N. Jack
Tampa

GEORGIA

Ruff & Cannon
Atlanta 1

ILLINOIS

C. B. Thorsen &
Assoc., Inc.
Chicago 25
Dale I. Miller
Olympia Fields

INDIANA

Scott-Jaqua Company,
Inc.
Indianapolis 4

IOWA

James H. Hull
Des Moines 11

KENTUCKY

C. Vance Terrell
Louisville 7

LOUISIANA

Paul Hogan, Jr.
New Orleans 12

MARYLAND

Samuel Masland, Jr.
Baltimore 17

MASSACHUSETTS

John V. Bradley
Sherborn

MICHIGAN

E. B. Wolf & Assoc.
Detroit 1
W. Dale Crites
Haslett

MINNESOTA

Jim Hallek
Minneapolis
Paul J. Murray
St. Paul 5

MISSOURI

M. H. Burwell Co.
Kansas City 8
Day-Brite Lighting, Inc.
St. Louis 7
E. H. Lauth &
Associates, Inc.
St. Louis 10

NEBRASKA

Carl R. Price
Omaha 1

NEW MEXICO

Joe E. Pearce
Albuquerque

NEW JERSEY

Hauser & Hargis
Bloomfield

NEW YORK

Day-Brite Lighting, Inc.
New York 17
John C. Ringland
Rochester 11
Frank A. Coley
Syracuse

NORTH CAROLINA

Gordon Wells Co.
Charlotte 2

OHIO

Greene & Warner
Cleveland 15
H. C. King
Cincinnati 37
Judson Lord
Columbus 12
Edward H. Unruh
Toledo 12

OKLAHOMA

Paul Sheline
Oklahoma City

OREGON

Ray M. Camnitz
Portland 8

PENNSYLVANIA

Hopkin Bros., Inc.
Philadelphia 6
Parke & Maguire
Pittsburgh 23

TENNESSEE

H. Sidney Chilton, Jr.
Memphis 11
Joe Leve Booker
Nashville 4

TEXAS

H. A. Auchter
Dallas 2
N. O. Reed
Houston 6
Stewart O. Norris
Lubbock
Richard W. Barnes
San Antonio

UTAH

Jack Lowder
Salt Lake City

VIRGINIA

Earl Dagenhardt
Richmond 25

WASHINGTON

D. A. Olson Co.
Seattle 5

WISCONSIN

Earl H. Aik
Milwaukee 8
Robert M. Aik
Neenah

HAWAII

Matt A. Cabot
Honolulu 11

For further information consult your nearest Day-Brite Representative or write
DAY-BRITE LIGHTING, INCORPORATED, 6260 N. Broadway, St. Louis 15, Mo.



DAY-BRITE LIGHTING, INC.

ST. LOUIS, MISSOURI
SANTA CLARA, CALIFORNIA

Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

www.apti.org

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE
SPECIAL COLLECTIONS
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>



DAY-BRITE LIGHTING, INC.

ST. LOUIS, MISSOURI
SANTA CLARA, CALIFORNIA